



Customer Documentation

X-Unitconf Windows Version

- Version 1.1 -



Directory

1. Registration on X-Unitconf.....	3
2. Menue Main	4
2.1. Overview.....	4
2.2. Change password.....	4
2.3. Language.....	5
2.4. Change my information	5
2.5. Messages.....	6
2.6. Traffic.....	6
2.7. Order more services	7
2.8. Traffic overflow setup	7
3. Post	8
3.1. Post settings.....	8
3.2. Autoresponders.....	9
3.3. Distribution list	10
3.4. Mailing lists.....	11
4. Databases.....	12
4.1. MySQL	12
4.2. phpMyAdmin.....	12
4.3. Configure DSN-ODBC.....	12
5. Tools.....	14
5.1. Subdomains.....	14
5.2. FTP users.....	14
5.3. Server extension Frontpage.....	15
5.4. Server settings.....	15
5.5. Server commands.....	16
5.6. Cron tasks.....	16
5.7. Directory protection.....	17
5.8. Index file order.....	17
5.9. Webalizer.....	18
5.10. Web-FTP.....	18
5.11. Web-Mail.....	18
6. Help.....	19
6.1 Help	19
6.2 Path to services.....	19
6.3. ISP Contact info	19



1. Registration on X-Unitconf

In order to announce itself at the system please fill in your user name as well as the associated password and click on the Button "Enter" to confirm the registration. They arrive now at the general summary page of X-Unitconf Software. Here you can view general settings like attitude/default/information. Within this range you cannot edit anything.



The screenshot shows a registration window titled "Enter access data". It contains two input fields: "Login" and "Password". Below these fields is a blue button labeled "Enter".



2. Menue Main

2.1. Overview

Here you see an overview of all relevant informations and your services.

General Info	
Company	Mustermann GmbH
First name	Klaus
Last name	Mustermann
Address	Eichenring 15
E-mail	email@domain.de
User-ID	200051
Phone	+49 211-171659-21
Fax	+49 211-171659-22
Date of creation	23 November 2004

Account Information	
Domain	kunde1.win-test.df-webhosting.de
Ip	82.149.228.3
Traffic	0 (10 MB)
Disc space	286 KB (200 MB)
Subdomains	0 (10)
Ftp users	0 (10)
E-mail accounts	0 (10)
Mysql databases count	0 (10)

Active services	

2.2. Change password

To change your password please click on the Button "change password" in the menu generally.

Please enter first your old password, and afterwards your new desire password. For safety reasons you must enter the new password once again for confirmation. To change the password finally please click on the Button "Change".



Login	web1
Old password	<input type="text"/>
New password	<input type="text"/>
Repeat new password	<input type="text"/>

Note: The FTP password corresponds to the announcing password of X-Unitconf.

2.3. Language

Please click in the menu "general" on the Button "language". A selection box appears you can select the desired language. With click on the Button "Change" you take over your attitude.

Choose interface language

Language

2.4. Change my information

Here you can change your contact informations.

Note: The fields first name, surname, customer number as well as offer are being certain and can not be changed by you.

Company	Mustermann GmbH
First name	Klaus
Last name	Mustermann
Address	<input type="text" value="Eichenring 15"/>
Zipcode	<input type="text" value="66875 Musterstadt"/>
E-mail	<input type="text" value="email@domain.de"/>
User-ID	200051
Phone	<input type="text" value="+49 211-171659-21"/>
Fax	<input type="text" value="+49 211-171659-22"/>
Email for cheques	<input type="text" value="ivoice@domain.de"/>



2.5. Messages

To view current error messages, warnings or references of the system, please click on the Button "Messages" in the menu "General". Now you can determine the message type with the selectionbox. There are the following message types:

- Error
- References

In order to view the error messages and references please click on the Button "Watch".

Message type	Show number of messages
Errors ▼	5 ▼
	Show

2.6. Traffic



Here you see the transfer volume as well as transfer overview after daily overview.

Note: The transfer volume is always indicated by the day before.

Traffic by day

Day	www/ftp/mail	Total
11.19.2004	0/0/0	0

Traffic by all month

Month	http/ftp/mail	Total
10/2004	 http: 93.81 MB ftp: 4.65 MB mail: 1.36 MB	99.83 MB
11/2004	 http: 8.54 MB ftp: 503.45 KB mail: 0	9.03 MB
Total	http: 102.36 MB ftp: 5.15 MB mail: 1.36 MB	108.87 MB



2.7. Order more services

You have the possibility to order additional options for your offer. Please select the desired achievement and click on the Button "Save".

Service name	Value to add to limit	Current value of limit
Quota	<input type="text" value="0"/> MB	200 MB
Traffic	<input type="text" value="0"/> MB	10 MB
Maximum ftp users	<input type="text" value="0"/>	10
Maximum subdomains	<input type="text" value="0"/>	10
Data bases	<input type="text" value="0"/>	10
cron tasks	<input type="text" value="0"/>	10
DSN-ODBC	<input type="text" value="0"/>	10
Max e-mails	<input type="text" value="0"/>	10
max forwarders	<input type="text" value="0"/>	10
max autoresponders	<input type="text" value="0"/>	10
max distribution lists	<input type="text" value="0"/>	10
max mailing lists	<input type="text" value="0"/>	10

Note: Your order only then taken over if the administrator agrees.

2.8. Traffic overflow setup

Here you can provide a Overtraffic side for your account. This indicated you when the transfer volume to exceed. Thus you have always the costing control of the fast rising transfervolume.



3. Post

Here you can configure and furnish your Mailserver.

3.1. Post settings

In this range you can furnish your E-Mail accounts.

Please indicate before the @ Symbol the desired names and select with the help of the selection list which Domain ending your E-Mail address to be put on are.

Email	
<input type="text"/>	@ kunde1.win-test.df-webhosting.de ▼
<input type="button" value="Create"/>	

Note: The password is assigned to you automatically by the system. If you would like to change your password please click on the link "change password" behind the desired E-Mail address.

Email address	to	delete	change password	edit
webmaster@kunde1.win-test.df-webhosting.de	pop3	Delete	Change password	Edit e-mail settings
test@kunde1.win-test.df-webhosting.de	pop3	Delete	Change password	Edit e-mail settings
info@kunde1.win-test.df-webhosting.de	pop3	Delete	Change password	Edit e-mail settings

To make further attitudes of your E-Mail account please click on the link "Detail" behind the respective E-Mail address. Now you can configure user names, a E-Mail width line, Aliases for your E-Mail address, a Spam filter (for your E-Mail address and appendices of file).

User name
<input type="text" value="Mustermann Klaus"/>
Mail redirect
<input type="text"/>

Alias	Domain
<input type="text"/>	@kunde1.win-test.df-webhosting.de
<input type="text"/>	@kunde1.win-test.df-webhosting.de
<input type="text"/>	@kunde1.win-test.df-webhosting.de
<input type="text"/>	@kunde1.win-test.df-webhosting.de
<input type="text"/>	@kunde1.win-test.df-webhosting.de



Filter	
Filters	

- Case Sensitive
- Scan Bodies

3.2. Autoresponders

Here you can put on Autoresponder for your E-Mail addresses.

Please select with the help of the selection box the desired E-Mail address for those the Autoresponder to be put on and click on the Button "Next".

info@kunde1.win-test.df-webhosting.de	▼	new/edit
---------------------------------------	---	----------

Now you can enter your reference as well as an individual text. With the Button "Save" you take over your data.

Autoresponder	info@kunde1.win-test.df-webhosting.de
Subject	
Message	
Save	



3.3. Distribution list

In this range you can furnish different distribution lists (mailing lists). Please click on the link "Click here for a new distribution".

They can define now the following attitudes:

- list name.
- members
Input of E-Mail addresses to your mailing list.

Distribution list	
List name	<input type="text"/> @ kunde1.win-test.df-webhosting.de ▼
Members(emails)	<div style="border: 1px solid black; height: 150px; width: 100%;"></div>
<input type="button" value="Save"/>	

Note: During the mechanism a postbox with the address listname@yourdomain.de is put on automatically. All emails to be sent on listname@yourdomain.de, remain not in your postbox seperate send to the members immediately. Deliver from members into the list can only make the administrator.



3.4. Mailing lists

Members can decide the participation in the mailing list in contrast to the distribution list, in addition you must send a E-Mail with different server instructions to the following address `subscribe@Servername` of the Providers .de. There are the following server instructions:

- HELP
Server returns the delivery assistance.
- LIST
Server returns all available delivery lists.
- SUBSCRIBE <List Name>
Registration at the mailing list. The server sends automatically a E-Mail to the Mailinglist prospective customer who must confirm in 24 hours.
- UNSUBSCRIBE <List Name>
Delivering from the mailing list.

Note: List names please without triangle clips indicate.

They can furnish different mailing lists. Please click on the link "Click here for a new mailing list."

They can define now the following attitudes:

- Listname
The name of your mailing list.
- E-Mail account
Over which E-Mail account your mailing list to be dispatched is.
- Comment
Not-binding field for remarks.
- Members
Input of E-Mail addresses your mailing list to contain.

Mailing list	
List name	<input type="text"/>
E-mail account	<input type="text" value="webmaster@kunde1.win-test.df-webhosting.de"/> ▼
Comment	<input type="text"/>
Members(emails)	<div style="border: 1px solid black; height: 100px; width: 100%;"></div>
<input type="button" value="Save"/>	



4. Databases

Here you can your data bases furnish and administer.

4.1. MySQL

Here you see an overview of your data bases put on already. With the help of the respective link behind the desired data base,you can delete the data base, change the password and change the access of local host to external.

Base name	Comment	Quota used	Action	Change Access	Change password
web1db1	Datenbank	0	Delete	Change	Change password

To put on a new data base please enter in the field comment a name for your data base and click on the Button "Create".

Comment

Note: The password is assigned to you automatically by the system. You can Change your password at any time by click on the link "Password Change" behind the desired data base.

4.2. phpMyAdmin

Here you can access with phpMyAdmin to your data base. Enter for it please to your data base names as well as your password.

4.3. Configure DSN-ODBC

Here you can furnish different system DSN`s as ODBC driver.

Please select the desired kind of driver in addition with the help of the selection box and click on the Button "Create".

Access DSN Driver ▼

Create

Now you can make different attitudes depending upon selected kind of driver. With a click on the Button "Create DSN" you take over your attitudes.



Example for Access DSN:

Description:

Database

Database: (is relative to user root directory web1)

Default Authorization

Login name:

Password:

Options

Type	Value
DefaultDir	<input type="text"/>
Driver	<input type="text"/>
ExtendedAnsiSQL	<input type="text" value="0"/>
FIL	<input type="text" value="MS Access;"/>
ImplicitCommitSync	<input type="text"/>
MaxBufferSize	<input type="text" value="2048"/>
MaxScanRows	<input type="text" value="8"/>
PageTimeout	<input type="text" value="5"/>
ReadOnly	<input type="text" value="0"/>
Exclusive	<input type="text" value="0"/>
SafeTransaction	<input type="text" value="0"/>
Threads	<input type="text" value="3"/>
UserCommitSync	<input type="text" value="Yes"/>



5. Tools

Here you have available different tools to administer your account.

5.1. Subdomains

Here you see your Subdomains. Over a further Subdomain to put on please enter and select the desired names before the @ Symbol and select with the help of the selection box the desired Domain. In the last field you can enter into which range of your account the Subdomain to be rerouted are. With a click on the Button "Create" you take over your data.

Domain	Root or redirection URL	Action
kunde1.win-test.df-webhosting.de	/html/	Change
www.kunde1.win-test.df-webhosting.de	/html/	Change

Create subdomain

Domain	Root or redirection URL
<input type="text"/> .kunde1.win-test.df-webhosting.de ▼	<input type="text"/> /

Save

Note: They can reroute also Maindomains as well as Subdomains on certain URL and/or Domain.

5.2. FTP users

Here you can put on additional ftp users. Please indicate the desired listing and the storage location in MB. With a click on the Button you will put on your ftp user. The desired listing should not exist this will create by x-Unitconf.

With action link behind the respective ftp user you can delete the ftp user, change the password or work on the storage location.

Set directory	Set quota (in MB)
<input type="text"/> /html/	<input type="text"/>

Save

Note: The additional ftp users received only for the desired listings the full access and can not arrive outside of listing and/or high-loadfiles.



5.3. Server extension Frontpage

Here you can activate Frontpage 2002 server extensions.

Note: The Frontpage extensions only for Domains as well as Subdomains activates to the same path e.g. /html to point.

To activate the server extensions please mark the control box behind the respective Domain and enter your Mail Smtip server, the senders and answer address. To the final activate please click on the Button "Change". Please note that the Frontpage extensions can be activated not at the same time on several listings, but only on a certain listing.

Domains/Subdomains	Root	Set FrontPage
kunde1.win-test.df-webhosting.de www.kunde1.win-test.df-webhosting.de	html/	<input type="checkbox"/>

Here you can specify mail settings to FronPage Server Extensions 2002.

Description	Value
Mail SMTP server	<input type="text" value="localhost"/>
Sender address	<input type="text" value="email@domain.de"/>
Reply address	<input type="text" value="email@domain.de"/>

5.4. Server settings

Here you can administer and configure your Web server account.

The following attitudes can make you:

Change	Parameter name	Value
<input type="checkbox"/>	Bandwidth(kb/s)	<input type="text" value="32000"/>
<input type="checkbox"/>	Max connections	<input type="text" value="1000"/>
<input type="checkbox"/>	Connection timeout(s)	<input type="text" value="60"/>
<input type="checkbox"/>	Server usage	<input type="text" value="1000-10000"/> ▾
<input type="checkbox"/>	Stop on traffic overflow	<input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="checkbox"/>	Directory listing	<input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="checkbox"/>	Run CGI applications at root folder	<input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="checkbox"/>	Copy logs daily	<input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="checkbox"/>	Enable Parent Paths	<input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="checkbox"/>	Protect webalizer with password	<input checked="" type="radio"/> Yes <input type="radio"/> No



5.5. Server commands

Here you can implement different server instructions.

For the execution please mark the respective check box behind the desired instruction and click on the Button "Run".

Command	
Refresh log files	<input type="checkbox"/>
Update FrontPage settings	<input type="checkbox"/>
Restore http-error files	<input type="checkbox"/>
Aplication reload	<input type="checkbox"/>
Restart server	<input type="checkbox"/>
<input type="button" value="Run"/>	

5.6. Cron tasks

In this range you can put on own Cron tasks, which implemented in certain time intervals. Give in the text field instruction, which instruction are execute. In the text field parameters, please enter, which additional parameters the application is to be implemented.

Command	<input type="text" value="c:\perl\bin\perl.exe"/>
Parameters	<input type="text" value="c:\xunitconf\web1\html\scripts\testscript.pl"/>
<input type="button" value="Add"/>	

As soon as a Cron task to have put on you have to activate these by click on the link "star" behind the Cron task.

To delete the Cron task please click the action link "delete".

For a detailed opinion of the Cron tasks and exact attitudes e.g. day, time of etc. please click under details on the left "Details". Here you can make further attitudes. To save your attitudes please click on the Button "Save".



5.7. Directory protection

Here you can protect your listings with a password. Please select the desired listing and click on the Button "Protect".

Directories browser	
 html	
 <u>aspnet_client</u>	<u>Protect</u>

5.8. Index file order

In this range you can administer your index priorities. Ever after which index side stands completely above, this is treated preferentially by the Web server.

To navigate upward or down the pages please click on the respective link "up" or "down" behind the desired side.

File name	Action
default.htm	<u>down</u>
index.htm	<u>up down</u>
default.html	<u>up down</u>
index.html	<u>up down</u>
default.asp	<u>up down</u>
index.asp	<u>up down</u>
default.shtml	<u>up down</u>
index.shtml	<u>up down</u>
default.shtm	<u>up down</u>
index.shtm	<u>up down</u>
default.stm	<u>up down</u>
index.stm	<u>up down</u>
default.aspx	<u>up down</u>
index.aspx	<u>up down</u>
default.pl	<u>up down</u>
index.pl	<u>up down</u>
default.pm	<u>up down</u>
index.pm	<u>up down</u>
default.php	<u>up down</u>
index.php	<u>up down</u>
default.php3	<u>up down</u>
index.php3	<u>up down</u>
default.phtml	<u>up down</u>
index.phtml	<u>up</u>



5.9. Webalizer

Here you find the statistics for your Domain. Please click on the desired Domain to see the statistics.

5.10. Web-FTP

Here you can log in your ftp Webinterfaces. With the help of this Tools you can access from everywhere your ftpaccount. Please select the desired user name with the help of the selection box and enter your associated password.

Login	web1 ▾
Password	<input type="text"/>
	<input type="button" value="Login"/>

5.11. Web-Mail

Here you can login to your E-Mail Webinterfaces. With the help of this Tools you can access from everywhere your E-Mails. Please select the desired user name and/or E-Mail address with the help of the selection box and enter your associated password.

Login	webmaster@kunde1.win-test.df-webhosting.de ▾
Password	<input type="text"/>
	<input type="button" value="Login"/>



6.Help

Here you find auxiliary information approximately around your account.

6.1 Help

In this range you find assistance, that was deposited by your administrator for you.

6.2 Path to services

Here you see the most important and useful path information for your customers.

Service	Path to
Path to system folder	C:\WINDOWS
Path to html folder	C:\XUnitConf\web1\html
Path to cgi-bin directory	C:\XUnitConf\web1\cgi-bin
Path to mysql database	C:\mysql\bin
Framework bin	C:\WINDOWS/Microsoft.NET/Framework\v1.1.4322
Perl	C:\Perl\bin
Php	C:\php
PHP-Upload	C:\php\uploadtemp

6.3. ISP Contact info

In this range you see the contact informations about your administrator.

Note: The contact informations deposited only if your administrator indicated this.